



Line of metal halide lamps that offer excellent color rendering with good color maintenance throughout lamp life.

### Features

- Elliptical, coated or clear
- Low operating cost
- Very long life +20000 hrs
- Excellent color rendering up to 70 CRI (Ra)
- Color temperature up to 4000 CCT (K)
- Luminous efficacy up to 90 lm/W
- Burning position - universal

### Applications

- Warehouses, factories and distribution centers
- Malls, retail and sport arenas
- Roadways and floodlighting
- Gas stations and parking lots

VDE tested and certified



HVLE A		FEATURES				BULB			DIMENSIONS		PACKING UNIT	STANDARD	REMARKS
Lampentyp Lamp type Tipo de lámpara	Artikel-Nr. Part-No. No.-Parte	Leistung Power Potencia	Spannung Arc voltage Tensión	Lichtstrom Luminous flux Flujo luminoso	Lebensdauer Rated life Duración	Glaskörper Bulb Ampolla	Typ Type Tipo	Socket Cap/base Casquillo/base	Durchm. Diam. Diam.	Länge Lenth Longit.	Stück/VE Piece/box Peizas/caja	Norm Standard Norma	Anmerkungen Remarks Notas
ASTRALUX	Ordering code	W	V	lm	Hrs.	Finish			mm	mm	Quantity	ANSI	
<a href="#">HVLE 175 A</a>	A350-171760	250	128	13000	10000	Clear	ED28	E39 Mogul	88	211	12	ANSI M57PE-175	Standard
<a href="#">HVLE 175 A</a>	A350-172760	250	128	12350	10000	Coated	ED28	E39 Mogul	88	211	12	ANSI M57PF-175	Standard
<a href="#">HVLE 250 A</a>	A350-251760	250	130	20500	10000	Clear	ED28	E39 Mogul	88	211	12	ANSI M58PG-250	Standard
<a href="#">HVLE 250 A</a>	A350-252760	250	130	19500	10000	Coated	ED28	E39 Mogul	88	211	12	ANSI M58PH-250	Standard
<a href="#">HVLE 400 A</a>	A350-401760	400	135	36000	20000	Clear	ED28	E39 Mogul	88	211	12	ANSI M59	Standard
<a href="#">HVLE 400 A</a>	A350-401770	400	135	36000	20000	Clear	ED37	E39 Mogul	117	292	12	ANSI M59PJ-400/HOR	Standard
<a href="#">HVLE 400 A</a>	A350-402760	400	135	34200	20000	Coated	ED28	E39 Mogul	88	211	12	ANSI M59	Standard
<a href="#">HVLE 400 A</a>	A350-402770	400	135	34200	20000	Coated	ED37	E39 Mogul	117	292	12	ANSI M59PK-400/HOR	Standard

Lamp types with letter **E** at the end are with elliptical bulb, with letter **T** at the end are with tubular bulb.  
All lamps are manufactured in accordance with ISO 9001, IEC, CE and ANSI norms and specifications.

**"WARNING: Mercury vapor lamps MVL, self ballasted mercury lamps MVLI and metal halide lamps HVLE can cause serious skin burn and eye inflammation from shortwave ultraviolet radiation if outer envelope of the lamp is broken or punctured. Do not use where people will remain for more than a few minutes unless adequate shielding or other safety precautions are used. Lamps that will automatically extinguish when the outer envelope is broken or punctured are commercially available."**  
**CAUTION: Before use read safety instructions and operation manual carefully.**

Although all efforts have been made to keep this sheet free of errors, and to accurately present the products, ASTRALUX GMBH / ASTRALUX INC. gives no warranty about its content. ASTRALUX GMBH / ASTRALUX INC. reserves the right to make any changes without further notice to any products or data herein. ASTRALUX GMBH / ASTRALUX INC. gives no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does ASTRALUX GMBH / ASTRALUX INC. assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation consequential or incidental damages.

© 2000-2001 by ASTRALUX GMBH, Hamburg, Germany. ASTRALUX® is a registered trade mark of ASTRALUX GMBH, Germany and ASTRALUX INC., USA

[MVL](#)

[SVL](#)

[MVLI](#)

[HVL](#)